

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|---|------------------|---------|---------------------|
| L1 | 4 | (predefin\$ or predetermin\$5) with revert\$3 with version | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/01 09:23 |
| L2 | 9496 | (predefin\$ or predetermin\$5) with version | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/01 09:24 |
| L3 | 171752 | (revert\$3 or rollback or (roll\$3 near2 back) or downgrad\$3 or "down-grade" or "down-grading") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/01 09:24 |
| L4 | 26 | I2 same I3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/01 09:24 |
| L5 | 109 | (revert\$3 or rollback or (roll\$3 near2 back) or downgrad\$3 or "down-grade" or "down-grading") with (multiple or plurality) with version | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/01 09:29 |
| L6 | 202 | (predefin\$ or predetermin\$5) with version with (load\$3 or boot\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/01 09:47 |
| L7 | 5728 | (717/168-178).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2010/07/01 09:48 |

| | | | | | | |
|-----|------|---|---|----|-----|---------------------|
| L8 | 28 | I6 and L7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/01 09:48 |
| L9 | 967 | (reboot\$3 or "re-boot" or "re-booting" or reload\$3 or "re-load" or "re-loading") with version | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/01 09:49 |
| L10 | 130 | I7 and I9 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/01 09:49 |
| L11 | 127 | (reboot\$3 or "re-boot" or "re-booting" or reload\$3 or "re-load" or "re-loading") with (different or previous or prior) with version | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/01 09:50 |
| L12 | 29 | I7 and I11 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/07/01 09:50 |
| L18 | 1 | ("6,957,328").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2010/07/01 10:45 |
| S1 | 53 | select\$3 with version with revert\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 15:51 |
| S2 | 5716 | (717/168-178).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2010/06/29 15:51 |
| S3 | 8 | S1 and S2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 15:51 |

| | | | | | | |
|-----|--------|---|---|----|----|---------------------|
| S4 | 44 | choos\$3 with version with revert\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:00 |
| S5 | 7 | (user or technician or programmer or operator) with (defin\$3 or specify \$3 or specification) with version with revert\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:02 |
| S6 | 421 | (user or technician or programmer or operator) with (defin\$3 or specify \$3 or specification) with error with (recover\$3 or respons\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:02 |
| S7 | 2 | S2 and S6 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:02 |
| S8 | 163729 | (revert\$3 or rollback or (roll\$3 near2 back)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:03 |
| S9 | 402107 | (user or technician or programmer or operator) with (defin\$3 or specify \$3 or specification) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:04 |
| S10 | 197 | S8 and S9 and S2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:04 |
| S11 | 13 | (user or technician or programmer or operator) with (defin\$3 or specif\$4 or specification) with version with revert\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:05 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S12 | 314 | (user or technician or programmer or operator) with (defin\$3 or specif\$4 or specification) with revert\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:09 |
| S13 | 8 | S2 and S12 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:09 |
| S14 | 211 | (user or technician or programmer or operator) with (defin\$3 or specif\$4 or specification) with (error or fault) with policy | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:16 |
| S15 | 55 | S8 and S14 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:16 |
| S16 | 39 | determin\$5 with version with revert\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:26 |
| S17 | 104 | determin\$5 with version with S8 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:27 |
| S18 | 20 | S2 and S17 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:27 |
| S19 | 242 | (select\$3 or choos\$3 or determin\$5) with version with (depend\$3 or bas\$3) with error | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:34 |

| | | | | | | |
|-----|--------|--|---|----|-----|---------------------|
| S20 | 269 | (select\$3 or choos\$3 or determin\$5) with version with (depend\$3 or bas\$3) with (fault or error) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:35 |
| S21 | 18 | S2 and S20 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:37 |
| S22 | 171148 | (revert\$3 or rollback or (roll\$3 near2 back) or downgrad\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:37 |
| S23 | 53 | S20 and S22 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/29 16:37 |
| S24 | 407 | downgrad\$3 with version | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 15:21 |
| S25 | 5716 | (717/168-178).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2010/06/30 15:21 |
| S26 | 47 | S25 and S24 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 15:21 |
| S27 | 427 | downgrad\$3 with (select\$3 or choos\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 15:22 |
| S28 | 8 | S25 and S27 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 15:22 |

| | | | | | | |
|-----|--------|--|---|----|-----|---------------------|
| S29 | 171580 | (revert\$3 or rollback or (roll\$3 near2 back) or downgrad\$3 or "down-grade" or "down-grading") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 15:26 |
| S30 | 78898 | version with (determin\$5 or select\$3 or choos\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 15:26 |
| S31 | 5623 | S29 and S30 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 15:26 |
| S32 | 621 | S29 same S30 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 15:26 |
| S33 | 69 | S32 and S25 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 15:26 |
| S34 | 0 | (2004/0249756).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2010/06/30 16:20 |
| S35 | 1 | ("20040249756").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2010/06/30 16:20 |
| S36 | 1 | ("6898768").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | OFF | 2010/06/30 16:32 |
| S37 | 140 | (user or technician or programmer or operator) with (defin\$3 or specify \$3 or specification or select\$3 or choos\$3) with version with (restart \$3 or S29) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 16:55 |

| | | | | | | |
|-----|--------|---|---|----|----|---------------------|
| S38 | 864683 | (upgrad\$3 or updat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 16:56 |
| S39 | 238424 | (upgrad\$3 or updat\$3). ab. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 16:56 |
| S40 | 13 | S39 and S37 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 16:56 |
| S41 | 14 | S25 and S37 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 16:57 |
| S42 | 11723 | (user or technician or programmer or operator) with (defin\$3 or specify \$3 or specification or select\$3 or choos\$3) with version | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 17:01 |
| S43 | 170 | S29 same S42 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 17:01 |
| S44 | 16 | S43 and S25 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 17:01 |
| S45 | 18 | (user or technician or programmer or operator) with (defin\$3 or specify \$3 or specification or select\$3 or choos\$3) with version with restart \$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 17:05 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S46 | 1 | (revert\$3 or rollback or (roll\$3 near2 back) or downgrad\$3 or "down-grade" or "down-grading") with predefined with version | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 17:07 |
| S47 | 13 | (revert\$3 or rollback or (roll\$3 near2 back) or downgrad\$3 or "down-grade" or "down-grading") same (predefined or "pre-defined" or preselect\$3 or "pre-selected") with version | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/06/30 17:08 |

EAST Search History (I nterference)

< This search history is empty >

7/ 1/ 2010 11:11:42 AM

C:\ Documents and Settings\ jwang4\ My Documents\ EAST\ Workspaces
 \ 10659695_ amendment_6-29-2010.wsp